



## Mercury 115 HP Sea Pro Fourstroke

POA

### Specifications

#### Boat Details

|            |                           |              |                            |
|------------|---------------------------|--------------|----------------------------|
| Price      | POA                       | Boat Brand   | Mercury                    |
| Model      | 115 HP Sea Pro Fourstroke | Length       | 0.00                       |
| Year       | 2021                      | Category     | Boat Engines and Outboards |
| Hull Style |                           | Hull Type    |                            |
| Power Type |                           | Stock Number | 0                          |
| Condition  | New                       | State        | Victoria                   |
| Suburb     | St Morwell                | Engine Make  |                            |

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

## Description

Mercury Seapro 115HP Fourstroke - These commercial outboards are designed to work as hard as you do...engineered to be ultra tough working partners for anyone making their living on the water. Every SeaPro features unique components to cope with the additional demands of professional operation. Whatever your job there's a specific FourStroke or TwoStroke Mercury SeaPro model that's up to the task.

HP / kW

- 115 / 86

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

- 2.1

Full throttle RPM

- 5000-5500

Air induction

- Performance-Tuned Scroll Intake Manifold

Fuel induction system

- Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

- 35 amp / 441 watt with water-cooled voltage regulator

Recommended fuel

- Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum

Recommended oil

- NMMA Certified FCW 25W-40 Synthetic Blend

Engine protection operator warning system

- SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

- Yes

Starting

- Smart Start Electric

Controls

- Mechanical throttle & shift

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

## Steering

- Big Tiller
- Dual Cable Mechanical
- Electro-Hydraulic Power Steering Optional on Duals
- Hydraulic

## Shaft length

- 20" / 508 mm
- 25" / 635 mm

## Gearcase ratio

- 2.38:1

## Dry weight \*Lightest model available

- 363 lbs / 165 kg

## Bore and stroke

- 3.5 x 3.2" / 90 x 81 mm

## Ignition

- SmartCraft ECM 70 Digital Inductive

## Cooling system

- Water-cooled with thermostat

## Gear shift

- F-N-R

## Trim system

- Power Tilt
- Power Trim

## Exhaust system

- Through prop

## Shallow water trim range (degrees)

- 20

## Counter rotation

- Available

## Color

- Phantom Black

## Lubrication system

- Integrated Dry Sump

## Oil Capacity

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 03 5134 6522

Email: [sales@crawfordmarine.com.au](mailto:sales@crawfordmarine.com.au)

Website: <https://www.crawfordmarine.com.au>

71-77 Chickerell Street Morwell VIC 3840

---

• 5.5 qts / 5.2l

Maximum Trim Range

• 22° (-6° to 16°)

Maximum Tilt Range

• 70° (-6° to 64°)

---

## Features

|                  |     |
|------------------|-----|
| Horse Power (hp) | 115 |
|------------------|-----|

---

## Engine Details

|             |     |
|-------------|-----|
| Horse Power | 115 |
|-------------|-----|

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.