



Mercury 135 HP Fourstroke

POA

Specifications

Boat Details

Price	POA	Boat Brand	Mercury
Model	135 HP (Fourstroke)	Length	0.00
Year	2021	Category	Boat Engines and Outboards
Hull Style		Hull Type	
Power Type		Stock Number	0
Condition	New	State	Victoria
Suburb	St Morwell	Engine Make	Mercury

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Description

Designed to provide reliability and durability, no matter what is thrown at it, Mercury's new compact 135hp FourStroke also delivers tremendous performance and outstanding fuel efficiency.

The model has been created and developed specifically from the feedback given to us by Australian and New Zealand consumers, dealers and boat builders, and sits nicely between our new 2.1L 115hp and the well proven and hugely successful 150hp FourStroke platforms.

HP / kW

- 135 / 101

Engine type

- 8-valve single overhead cam (SOHC)
- Inline 4

Displacement (L)

- 3.0

Full throttle RPM

- 5000-5800

Air induction

- Performance-Tuned Scroll Intake Manifold

Fuel induction system

- Computer Controlled Multi-Port Electronic Fuel Injection (EFI)

Alternator amp / Watt

- 60 amp / 756 watt (Belt-Driven)

Recommended fuel

- Unleaded 91 RON Minimum

Recommended oil

- Mercury FourStroke Oil 10W-30

Engine protection operator warning system

- SmartCraft Engine Guardian

Compatible with SmartCraft digital technology

- Yes

Starting

- Electric (turn-key)
- Smart Start Electric

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.

Controls

- Mechanical throttle & shift

Steering

- Big Tiller Compatible
- Dual Cable Mechanical
- Electro-Hydraulic Power Steering Optional on Duals
- Hydraulic power steering

Shaft length

- 20" / 508 mm
- 25" / 635 mm

Gearcase ratio

- 1.92:1

Dry weight *Lightest model available

- 455 lbs / 206 kg

Emissions Star Rating

- 3

Bore and stroke

- 4.0 x 3.6" / 102 x 92 mm

Ignition

- SmartCraft ECM 70 Digital Inductive

Fuel system

- Electronic Fuel Injection (EFI)

Cooling system

- Water-cooled with thermostat

Gear shift

- F-N-R

Gearcase options

- Standard

Trim system

- Power Tilt
- Power Trim

Exhaust system

- Through prop

Counter rotation

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: 03 5134 6522

Email: sales@crawfordmarine.com.au

Website: <https://www.crawfordmarine.com.au>

71-77 Chickerell Street Morwell VIC 3840

• Available

Color

• Phantom Black

Lubrication system

• Integrated Dry Sump

Oil Capacity

• 6.3 qts / 6.0l

Maximum Trim Range

• 22° (-6° to 16°)

Maximum Tilt Range

• 73° (-6° to 67°)

Features

Horse Power (hp)	135
------------------	-----

Horse Power (hp)	135
------------------	-----

Engine Details

Engine Make	Mercury
-------------	---------

Horse Power	135
-------------	-----

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.